According to regulation (EC) No. 1907/2006 (REACH)



# 79300 Dammar Varnish Glossy, UV Stabilized

Page 1

Revised edition: 05.07.2019 Version: 1 Printed: 11.07.2019

## 1. Identification of the Substance/Mixture and of the Company/Undertaking

1. 1. Product Identifier

Product Name: Dammar Varnish Glossy, UV Stabilized

Article No.: 79300

1. 2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

No information available

Uses advised against:

1. 3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG

Address: Hauptstr. 41-47, 88317 Aichstetten, Germany

Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606

Internet: www.kremer-pigmente.com

EMail: info@kremer-pigmente.com

Importer: --

1. 4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

1. 4. 2 Poison Center:

# 2. Hazards Identification

## 2. 1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

Flammable liquids, hazard category 3
Acute toxicity (oral), hazard category 4
Acute toxicity (dermal), hazard category 4

Skin irritation, hazard category 2 Skin sensitization, hazard category 1 Eye irritation, hazard category 2

Acute toxicity (inhalation), hazard category 4 Chronic aquatic toxicity, hazard category 2

H226 Flammable liquid and vapour.

Cat.: 3

H302+H312Harmful if swallowed or in contact with skin.

Cat.: 4

H315 Causes skin irritation.

Cat.: 2

H317 May cause an allergic skin reaction.

Cat.: 1

H319 Causes serious eye irritation.

Cat.: 2

H332 Harmful if inhaled.

Cat.: 4

H411 Toxic to aquatic life with long lasting effects.

According to regulation (EC) No. 1907/2006 (REACH)



#### Dammar Varnish Glossy, UV Stabilized 79300

Page 2

Revised edition: 05.07.2019 Version: 1 Printed: 11.07.2019

Cat.: 2

Possible Environmental Effects:

See Section 12.

#### 2. 2. **Label Elements**

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

Hazard designation:



GHS02-1



GHS07



GHS09

Signal word:

Warning

Hazard designation:

Flammable liquid and vapour. H226

H302+H312 Harmful if swallowed or in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. Causes serious eye irritation. H319

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Safety designation:

Keep away from heat/ sparks/ open flames/ hot surfaces. No P210

smoking.

P273 Avoid release to the environment.

P301+P310 If swallowed: Immediately call a poison center or physician. P303+P361+P353

If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P331 Do not induce vomiting.

Hazardous components for labelling:

Turpentine, oil

#### 2. 3. **Other Hazards**

#### 3. Composition/Information on Ingredients

#### 3. 1. **Substance**

#### 3. 2. **Mixture**

Chemical Characterization: Mixture of different terpenes with dammar (1:2).

Information on Components / Hazardous

According to regulation (EC) No. 1907/2006 (REACH)



## 79300 Dammar Varnish Glossy, UV Stabilized

Page 3

Revised edition: 05.07.2019 Version: 1 Printed: 11.07.2019

Ingredients:

Turpentine oil (H226-302-304-312-315-317-319-

332-411); REACH Reg. No. 01-2119553060-53-

0007

> 50 % CAS-Nr: (8006-64-2)

EINECS-Nr: 932-349-8 (232-350-7)

EC-Nr: 650-002-00-6

Additional information:

## 4. First Aid Measures

## 4. 1. Description of the First Aid Measures

General information:

Remove contaminated clothes immediately.

Take person away from hazardous area.

Intoxication symptoms may occur after several hours, therefore a

48 hour medical observation is necessary.

Consult physician.

After inhalation:

Supply fresh air. If required give artificial respiration. In case of complaints or unconsiousness consult a physician. In case of unconsciousness place patient stable in side position for

transportation.

After skin contact:

Wash off with plenty of water and soap. Consult a physician if

irritation persists.

After eye contact:

Rinse open eyes with plenty of water. In case of discomfort seek

medical help.

After ingestion:

Rinse mouth with plenty of water and consult physician.

Do not induce vomiting.

## 4. 2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

No further information available.

## 4. 3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Treat symptomatically.

## 5. Fire-Fighting Measures

### 5. 1. Extinguishing Media

Suitable extinguishing media:

Water mist, extinguishing powder, foam, carbon dioxide.

Unsuitable extinguishing media:

Water with full jet.

## 5. 2. Special Hazards arising from the Substance or Mixture

According to regulation (EC) No. 1907/2006 (REACH)



# 79300 Dammar Varnish Glossy, UV Stabilized

Page 4

Revised edition: 05.07.2019 Version: 1 Printed: 11.07.2019

Special hazards:

In case of fire: formation of carbon oxides.

Flammable.

Fumes can form an explosive mixture with air.

5. 3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear suitable protective clothing.

Further information:

Cool closed containers exposed to fire with water mist.

Collect contaminated extinguishing water and debris separately;

avoid contamination of sewage system.

## 6. Accidential Release Measures

## 6. 1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Wear protective clothing.

Provide adequate ventilation. Keep away from sources of ignition.

Avoid contact with eyes and skin.

Do not inhale aerosol/fumes/vapors.

6. 2. Environmental Precautions

6. 3.

Environmental precautions:

Prevent contamination of soils, drains and surface water.

Contact local authorities if product pollutes soil or vegetation.

Methods and Material for Containment and Cleaning Up

Methods and material:

Contain with non-flammable absorbent material (e.g. sand, diatomaceous earth, vermiculite) and dispose accordingly.

Dispopse of contaminated material as waste according to section

13.

6. 4. Reference to other Sections

Protective clothing, see Section 8.

## 7. Handling and Storage

## 7. 1. Precautions for Safe Handling

Instructions on safe handling:

Avoid contact with eyes and skin.

The usual precautionary measures are to be adhered to when

handling chemicals.

Provide good ventilation and/or exhaust at the workplace. Ensure adequate ventilation. Handle and open container with care.

Hygienic measures:

Take off contaminated clothing immediately.

Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work. A nearby eyewash facility should be available for emergencies.

According to regulation (EC) No. 1907/2006 (REACH)



# 79300 Dammar Varnish Glossy, UV Stabilized

Page 5

Revised edition: 05.07.2019 Version: 1 Printed: 11.07.2019

## 7. 2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store the product in the original tightly sealed containers in a dry

and cool place.

Protect against heat.

Requirements for storage areas and

containers:

Store in a room with a solvent-proof floor.

Information on fire and explosion

protection:

Keep away from sources of ignition - do not smoke. Take

measures to prevent electrostatic discharge.

Do not store together with combustible and self-ignitable products.

Dust may form an explosive mixture with air.

Combustible liquid.

Vapors may form an explosive mixture with air. Vapor is heavier

than air and spreads along the ground.

Storage class:

3; Flammable liquids (TRGS 510)

Further Information:

The product is slightly hazardous to water. Consider national

regulations regarding handling and storage.

7. 3. Specific End Use(s)

Further information:

No information available.

## 8. Exposure Controls/Personal Protection

## 8. 1. Parameters to be Controlled

Parameters to be controlled (DE):

Turpentine oil (CAS 8006-64-2): TWA: 8.2 mg/m3, 2 ppm (long-

term value); 16.4 mg/m3, 4 ppm (short-term value)

Parameters to be controlled:

Derived No-Effect Level (DNEL):

Turpentine oil:

161 μg/cm2 (worker, skin contact, short-term exposition)
5.98 mg/m3 (worker, inhalation, long-term exposition)
81 μg/cm2 (consumer, skin contact, short-term exposition)
0.31 mg/kg bw/d (consumer, swallowing, long-term exposition)
1.06 mg/m3 (consumer, inhalation, long-term exposition)

Predicted No-Effect Concentration

(PNEC):

Turpentine oil (CAS 8006-64-2):

Fresh water: 8.8 µg/l Sea water: 0.88 µg/l

Fresh water sediment: 2.27 mg/kg dw Sea water sediment: 0.227 mg/kg dw

According to regulation (EC) No. 1907/2006 (REACH)



# 79300 Dammar Varnish Glossy, UV Stabilized

Page 6

Revised edition: 05.07.2019 Version: 1 Printed: 11.07.2019

Oral (secondary poisoning): 1.35 mg/kg (feed) Sewage treatment system (STP): 6.6 mg/l

Soil: 0.45 mg/kg

Additional Information:

8. 2. Exposure Controls

Technical protective measures:

Ensure adequate ventilation, especially in confined areas.

Facilities storing or utilizing this material should be equipped with

an eyewash facility.

Personal Protection

General protective measures:

Remove contaminated clothing immediately.

Do not inhale gas/fumes/vapor/aerosol.

Keep away from foodstuffs and drinks. Do not eat, drink or smoke

during work. Wash hands before breaks and at the end of work.

Respiratory protection:

Respiratory equipment required in case of insufficient ventilation,

filter type A.

Hand protection:

Protective gloves

The manufacturer's directions for use should be observed

because of the great diversity of types.

Protective glove material:

Nitrile rubber (480 min, 0.35 mm)

Eye protection:

Tightly fitting safety goggles (EN 166).

Body protection:

Protective clothing, chemical resistant.

Environmental precautions:

Prevent contamination of open water ways and sewage system.

Avoid contamination of ground water.

Contact local authorities if large spillages cannot be contained.

## 9. Physical and Chemical Properties

## 9. 1. Information on Basic Physical and Chemical Properties

Form: liquid

Color: colorless

Odor: like turpentine

Odor threshold:

No information available.

pH-Value:

not applicable

Melting temperature:

According to regulation (EC) No. 1907/2006 (REACH)



# 79300 Dammar Varnish Glossy, UV Stabilized

Page 7

Revised edition: 05.07.2019 Version: 1 Printed: 11.07.2019

not available

Boiling temperature:

not available

Flash point: 23°C

Evaporation rate:

No information available.

Flammability (solid, gas):

not applicable

Upper explosion limit:

no information available

Lower explosion limit:

no information available

Vapor pressure:

not determined

Vapor density:

No information available.

Density:

not available

Solubility in water: practically insoluble

Coefficient of variation (n-

Octanol/Water):

no information available

Auto-ignition temperature:

Decomposition temperature:

No data available.

Viscosity, dynamic:

not available

Explosive properties:

Product is not explosive; however, an explosive vapor/air mixture

can be formed.

Oxidizing properties:

none

Bulk density:

not determined

9. 2. Further Information

Solubility in solvents:

Viscosity, kinematic

Burning class:

Solvent content:

Solid content:



# 79300 Dammar Varnish Glossy, UV Stabilized

Page 8

Revised edition: 05.07.2019 Version: 1 Printed: 11.07.2019 Particle size: Other information: No further information. 10. Stability and Reactivity 10.1. Reactivity No information available. 10.2. **Chemical Stability** No decomposition if used according to specifications. 10.3. **Possibility of Hazardous Reactions** Incompatible with strong oxidizing agents. 10.4. **Conditions to Avoid** Conditions to avoid: No information available. Thermal decomposition: No data available. 10.5. **Imcompatible Materials** Oxidizing agents. 10.6. **Hazardous Decomposition Products** Carbon monoxide, carbon dioxide and hydrocarbons. 10.7. **Further Information** 11. **Toxicological Information** 11.1. Information on Toxicological Effects Acute Toxicity LD50, oral: Turpentine oil: 3956 mg/kg (rat) LD50, dermal: Turpentine oil: > 2000 mg/kg (rabbit) LC50, inhalation: Turpentine oil: 13.7 mg/l (4h, rat; OECD 403); 29 mg/l (2h, mouse; OECD 403) Primary effects Irritant effect on skin: Turpentine oil: irritating (rabbit) Irritant effect on eyes: Turpentine oil: irritating (rabbit) Inhalation: No information available. Ingestion: No information available Sensitization: Turpentine oil: May cause an allergic skin reaction.

According to regulation (EC) No. 1907/2006 (REACH)



# 79300 Dammar Varnish Glossy, UV Stabilized

Page 9

Revised edition: 05.07.2019 Version: 1 Printed: 11.07.2019 Mutagenicity: No relevant data found. Reproductive toxicity: No information available. Carcinogenicity: No relevant data found. Teratogenicity: No information available. Specific target organ toxicity (STOT): No relevant data found. Additional toxicological information: Turpentine oil: Aspiration toxiciity: may be fatal if swallowed and enters airways. May cause an allergic skin reaction. Harmful. Irritating.

## 12. Ecological Information

## 12. 1. Aquatic Toxicity

Fish toxicity:

No data available.

Risk of skin absortion.

Daphnia toxicity:

Turpentine oil: EC50: 14.1 mg/l

Bacteria toxicity:

Turpentine oil: EC50: 736 mg/l (3h, aquatic microorganisms;

OECD 209)

Algae toxicity:

No information available.

12. 2. Persistency and Degradability

Turpentine oil: > 80 % (28d); Readily biodegradable (OECD 301E)

12. 3. Bioaccumulation

Turpentine oil: An appreciate bioaccumulation potential is to be

expected (log P(o/w) > 3).

12. 4. Mobility

No information available.

12. 5. Results of PBT- und vPvP Assessment

This product is neither a PBT or vPvB substance nor does it

contain a PBT or vPvB substance.

12. 6. Other Adverse Effects

Water hazard class:

2 (German Regulation) (Assessment by list): hazardous.

Behaviour in sewage systems:

Further ecological effects:

May cause long-term adverse effects in the aquaticnent in the aquaticn

According to regulation (EC) No. 1907/2006 (REACH)



#### Dammar Varnish Glossy, UV Stabilized 79300

Page 10

Revised edition: 05.07.2019 Printed: 11.07.2019 Version: 1

Prevent product from entering surface water and drains.

The data is based on the solvent contained.

AOX Value:

#### 13. **Disposal Considerations**

#### 13. 1. **Waste Treatment Methods**

Product:

Must be treated as toxic waste according to local laws and

regulations.

Must not be disposed together with household garbage.

European Waste Code (EWC):

Uncleaned packaging:

Drain container thoroughly. After draining, vent in a safe place

away from sparks and fire.

Waste Code No.:

#### 14. **Transport Information**

14. 1. **UN Number** 

> 1263 ADR, IMDG, IATA

**UN Proper Shipping Name** 14. 2.

> ADR/RID: **FARBE**

IMDG/IATA: **PAINT** 

14.3. **Transport Hazard Classes** 

> 3 ADR Class:

> Hazard no.: 3

F1 Classification code:

D/E Tunnel restriction code:

3 IMDG Class (sea):

Hazard no.: 3

F-E, S-E EmS No.:

IATA Class: 3

3 Hazard no.:

14.4. **Packaging Group** 

> ADR/RID: Ш

> IMDG: Ш

> IATA: Ш

14. 5. **Environmental Hazards** 

> Labelling according 5.2.1.8 ADR/RID: fish and tree Labelling according 5.2.1.6.3 IMDG: fish and tree

Classification as environmentally hazardous according 2.9.3

next page: 11

According to regulation (EC) No. 1907/2006 (REACH)



## 79300 Dammar Varnish Glossy, UV Stabilized

Page 11

Revised edition: 05.07.2019 Version: 1 Printed: 11.07.2019

IMDG: yes

Labelled with "P" according 2.10 IMDG: no

14. 6. Special Precautions for User

not applicable

14. 7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

IMDG: not applicable

14. 8. Further Information

## 15. Regulatory Information

15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

2, hazardous for water (German Regulation)

Local regulations on chemical accidents:

Employment restrictions:

The employment restrictions for expectant and nursing mothers,

and for young workers are to be observed.

Restriction and prohibition of application:

Technical instructions on air quality:

15. 2. Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this

product.

15. 3. Further Information

## 16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.